


NO.	物料代码 Part Code	物料规格 Chinese Specification	英文名 English Name	单位 Unit	用量 Qty(pcs)
一、行变箱部份上箱/Upper Gearbox					
1	20300-T07901-9	HSD1G-100/换挡臂组件/镀蓝白锌	Shifting Arm	PCS	1
2	92203-0001	GB/T 7757.2-95/O形密封圈10×2.0	O ring 10×2.0	PCS	2
3	21201-T01901-E	HSD1G-90B/换挡拨叉材质20Cr/发蓝处理	Shifting fork	PCS	1
4	90701-0002-Z9	GB/T97.1-2002平垫圈-A级/8*1.6/蓝白锌	Flat washer 8*1.6	PCS	7
5	90801-0003-Z9	GB/T93-1987标准型弹簧垫圈/8*2.1/蓝白锌	Spring Washer 8*2.1	PCS	7
6	90601-0800-39	GB/T6170-2000I型六角螺母/M8*1.25/8级/蓝白锌	Nut M8*1.25	PCS	2
7	20215-T01101-9	HSD1G-75I/M10*1.0全金属带泄压顶帽/蓝白锌	Drain Bolt M10*1.0	PCS	1
8	20214-T01902	HSD1G-90B/机油尺/用于90B/专用/橘红色/长75mm	Oil level Gauge	PCS	1
9	20201-T07903-F	HSD1G-100型/变速箱体材质铝合金(ADC)/不带标识/带泄压螺栓孔/改变扶手安装方式//铝合金本色	Upper gearbox body	PCS	1
10	91601-6003-P63	GB/T276-1994深沟球轴承60000型/φ17*φ35*10/P6级游隙为C3/6003	Bearing 6003	PCS	2
11	20701-T07902	HSD1G-100型/主轴(短轴)材质20CrMnTi/配常开式离合器25/36长/Ⅰ齿数12齿Ⅱ齿数16齿/轴长225.5mm	Main shaft	PCS	1


12	20901-T01901	HSD1G-90B/倒挡轴材质20CrMnTi/轴长100.5mm	Reverse shaft	PCS	1
13	20912-T01901	HSD1G-90B/倒挡齿材质20CrMnTi/ I 齿数12齿 II 齿数20齿	Reverse gear	PCS	1
14	91802-0036	调整垫片Φ10.6×Φ18×1	Adjusting washer Φ10.6×Φ18×1	PCS	1
15	91802-0068	调整垫片/Φ17.5×Φ19.5×0.5	Adjusting washer/Φ17.5×Φ19.5×0.5	PCS	1
16	20206-T07901	HSD1G-90B/变速箱后盖合箱纸垫材质NY300耐油石棉垫(厚0.5)	Gasket for end cover of upper gearbox	PCS	1
17	91104-T01901-E	HSD1G-90B/定位销材质45#钢/实芯销/Φ6×12发蓝(转91104-T02401-E)	Locating pin	PCS	2
18	20205-T07905-F	HSD1G-100型/变速箱后盖材质铝合金(ADC12)单轴/改变安装方式/铝合金本色	End cover of upper gearbox	PCS	1
19	90103-0830-09	GB/T16674.1/M8*1.25*30/8.8级/蓝白锌	Bolt M8*1.25*30	PCS	5
20	20116-T07901	100型/防尘胶塞材质丁晴橡胶/30*6(2019年4月3日)	Dustproof rubber plug	PCS	1
21	91601-6202-P63	GB/T276-1994深沟球轴承60000型/φ15*φ35*11/P6级游隙为C3/6202	Bearing 6202	PCS	1
22	91802-0022	调整垫片 15*23*0.5	Adjusting washer 15*23*0.5	PCS	1
23	92101-0004	GB/T894.1-1986轴用弹性挡圈-A型/20	Checking ring for shaft Φ20	PCS	1
24	20801-T01901	HSD1G-90B/副轴双联齿材质20CrMnTi/ I 齿数36齿 II 齿数32齿	Duplex gear for counter shaft	PCS	1
25	91701-0004	GB/T308滚动轴承 钢球Φ6.0	Steel ball	PCS	3
26	20705-T01901-E	HSD1G-90B/定位弹簧材质65Mn/总圈数4.5圈,有效圈数2.5圈/发蓝(20705-T02201-E)	Locating spring	PCS	3
27	20802-T07903	100机型/副轴材质20CrMnTi(GB/T3077-99)/齿轴/齿数7齿/模数3轴长114mm/齿顶圆14×Φ17/渗碳淬火	Counter shaft	PCS	1
28	91601-6004-P63	GB/T276-1994深沟球轴承60000型φ20*φ42*12/P6游隙为C3/6004	Bearing 6004	PCS	1
29	90601-0800-39	GB/T6170-2000I型六角螺母/M8*1.25/8级/蓝白锌	Nut M8	PCS	1
30	90301-0845-09	GB/T70.1/M8*1.25*45/8.8级/蓝白锌	Screw M8	PCS	1

31	20211-T03501	(常开) HSD1G-135A/离合线座材质45#钢/离合拉索外管固定座 (装在离合拨叉轴上), 装配时从里向外, 配100/100B/135A湿式锥度离合器部件	Clutch cable fixing seat	PCS	1
32	20222-T01901-9	HSD1G-90B/离合支臂材质Q235/冲压部分蓝白锌	Support arm for clutch	PCS	1
33	92201-0010	GB/T3452.1-2005液压气动用O型橡胶密封圈/9*2.65	O ring 9*2.65	PCS	2
34	20217-T02401	HSD1G-100B/离合衬套材质45#钢 (φ14*φ18*28.5)	Clutch bushing	PCS	2
35	21203-T03501-E	HSD1G-135A/离合拨叉材质ZG35/发蓝(转21203-T02201-E)	Clutch fork	PCS	1
36	91402-0004-Z9	GB/T91-2000开口销/1.6*20/蓝白锌	Cotter pin 1.6*20	PCS	1
37	90901-0628-Z9	GB/T882-1986销轴B型/6*28/蓝白锌	Pin roll 6*28	PCS	1
38	92101-0005	GB/T894.1-1986轴用弹性挡圈-A型/14	Checking ring for shaft Φ14	PCS	1
一、行变箱部份下箱/Bottom Gearbox					
1	91402-0003-Z9	GB/T91-2000开口销/2.5*25/蓝白锌	Cotter pin 2.5*25	PCS	1
2	90611-1200-39	GB/T6178-1986I型六角开槽螺母-A和B级/M12*1.75/8级/蓝白锌	Nut M12	PCS	1
3	90801-0006-Z9	GB/T93-1987标准型弹簧垫圈/12*3.1/蓝白锌	Spring Washer 12	PCS	1
4	90701-0007-Z9	GB/T97.1-2002平垫圈-A型/12*2.5/蓝白锌	Flat washer 12	PCS	1

5	20808-T07901	HSD1G-100型/副轴盆齿材质20CrMnTi/配常开式离合器25/36长/齿数24齿	Bevel gear for counter shaft	PCS	1
6	91606-30203-P63	GB/T297-1994圆锥滚子轴承30000型/φ17*φ40/P6游隙为C3/30203	Bear 30203	PCS	1
7	91606-30204-P63	GB/T297-1994圆锥滚子轴承30000型/φ20*φ47/P6级游隙为C3/30204	Bear 30204	PCS	1
8	20632-T07902	HSD1G-100型/立轴角齿材质20CrMnTi (GB/T3077-99)轴长229mm	Vertical teeth gear	PCS	1
9	20609-T01901	HSD1G-90B/行走箱合箱纸垫材质NY300耐油石棉垫(厚0.5)	Gasket for bottom gearbox	PCS	1
10	20601-T07906-B01	HSD1G-100型/行走箱体材质球铁500-7/不带标识/减重/PTBlack C 黑色亮光喷塑	Bottom gearbox body	PCS	1
11	90701-0001-Z9	GB/T97.1-2002平垫圈-A级/10*2/蓝白锌	Flat washer 10	PCS	4
12	90801-0001-Z9	GB/T93-1987标准型弹簧垫圈/10*2.6/蓝白锌	Spring Washer 10	PCS	4
13	90101-1030-09	GB/T5783/M10*1.5*30/8.8级/蓝白锌	Bolt M10*1.5*30	PCS	4
14	20613-T02401-9	HSD1G-100B/防尘盖材质Q235/圆孔/配整体式下箱/蓝白锌	Dustproof Cover	PCS	2
15	91901-0003-02	GB/T9877.1-1988旋转轴唇形密封圈内包骨架FB型/φ25*φ40*7/氟橡胶	Oil seal φ25*φ40*7	PCS	4
16	92201-0003	GB/T3452.1-2005液压气动用O型橡胶密封圈/45*2.65	O ring 45*2.65	PCS	1
17	20614-T07901-B01	HSD1G-100型/行走箱防尘板Q235/PTBlack C 黑色亮光喷塑	Dustproof plate for bottom gearbox	PCS	1
18	90801-0003-Z9	GB/T93-1987标准型弹簧垫圈/8*2.1/蓝白锌	Spring Washer 8	PCS	8
19	90101-0816-09	GB/T5783/M10*1.25*16/8.8级/蓝白锌	Bolt M10*1.25*16	PCS	2
20	90703-0001-F	铝垫片/φ10.5*φ15*2	Aluminum washer φ10.5*φ15*2	PCS	1
21	90104-1012-09	GB/T16674.2/M10*1.25*12/8.8级/蓝白锌	Bolt M10*1.25*12	PCS	1
22	91601-6205-P63	GB/T276-1994深沟球轴承60000型/φ25*φ52*15/P6级游隙为C3/6205	Bearing 6205	PCS	1
23	91801-T01901	HSD1G-90B/非标钢垫片材质65Mn/φ25*φ32*1, 六方输出轴上	steel washer φ25*φ32*1	PCS	1
24	20607-T07902	HSD1G-100型/输出轴衬套材质45#钢/φ25*φ34*29.6	Hexagonal shaft bushing	PCS	1
25	20608-T07902	HSD1G-100型/输出轴材质20Cr/轴长258mm、中心距242/23方/六方输出轴/4孔	Hexagonal shaft	PCS	1


26	20605-T07901	HSD1G-100型/行走伞齿材质20CrMnTi/齿数28齿	Bevel gear for Hexagonal shaft	PCS	1
27	91606-30205-P63	GB/T297-1994圆锥滚子轴承30000型/φ25*φ52/P6游隙为C3/30205	Bear 30205	PCS	1
28	20612-T07902	HSD1G-100型/行走箱端盖纸垫材质NY300耐油石棉垫(厚0.5mm)	Gasket for side cover of bottom gearbox	PCS	1
29	20611-T07902-B01	HSD1G-100型/行走箱端盖材质HT200/PTBlack C亮黑喷塑	Side cover of bottom gearbox	PCS	1
30	90701-0002-Z9	GB/T97.1-2002平垫圈-A级/8*1.6/蓝白锌	Flat washer 8	PCS	6
31	90301-0830-09	GB/T70.1/M8*1.25*30/8.8/级/蓝白锌	M8*1.25*30	PCS	6
二、法兰盘及离合器部份 Clutch & Flange plate					
					
1	20203-T07901	100型/法兰盘动力合箱纸垫材质NY300耐油石棉垫(厚0.5)/H170F汽油机动力	Gasket for flange plate & engine	PCS	1
2	20202-T07901-F	HSD1G-100型/法兰盘材质铝合金(ADC12)配170F汽油/配花键轴25/36长/改变安装方式/铝合金本色	Flange plate	PCS	1
3	90801-0003-Z9	GB/T93-1987标准型弹簧垫圈/8*2.1/蓝白锌	Spring Washer 8	PCS	8
4	90301-0825-0E	GB/T70.1/M8*1.25*25/8.8级/发蓝(固定法兰盘于动力内)	Screw M8*1.25*25	PCS	4
5	91601-6206-P63	GB/T276-1994深沟球轴承60000型/φ30*φ62*16/P6级游隙为C3/6206	Bearing 6206	PCS	1


6	20500-T05202	3TGQ-5/离合器组件/配H170F汽油机H177F/HSD178F柴油机（花键轴25/36长）含（片式反向摩擦式离合器芯含51105轴承（51105轴承等级P53）及25挡圈编码为20501-T05202/离合器外罩编码为20502-T05202）含6201轴承/铝合金外罩	Clutch assy.	PCS	1
7	20203-T02201	A1-603/法兰盘变速箱纸垫材质NY300耐油石棉垫/配H177F汽油机	Gasket for flange plate & gearbox	PCS	1
8	90701-0002-Z9	GB/T97.1-2002平垫圈-A级/8*1.6/蓝白锌	Flat washer 8	PCS	4
9	90301-0830-09	GB/T70.1/M8*1.25*30/8.8/级/蓝白锌	Screw M8*1.25*30	PCS	4
10	90401-0830-09	GB/T899-1988双头螺柱bm=1.5d A型/M8*1.25*30/8.8级/蓝白锌	Stud bolt M8*1.25*30	PCS	2
11	90602-0800-39	GB/T6177.1-2000六角法兰面螺母/M8*1.25/8级/蓝白锌	Nut M8	PCS	2
12	90101-0616-09	GB/T5783/M6*1*16/8.8级/蓝白锌	Spring washer 6	PCS	1
13	90801-0005-Z9	GB/T93-1987标准型弹簧垫圈/6*1.6/蓝白锌	Flat washer 6	PCS	1
14	90702-0003-Z9	GB/T96.2-2002大垫圈-C级/6*1.6/蓝白锌	Flat washer 6	PCS	1
15	91802-0009	调整垫片/12×24×1	Adjusting washer 12×24×1	PCS	1
16	20504-T07004-E	100G-1/离合器弹簧材质碳素钢丝/钢丝直径2.5/总圈数4.5圈/有效圈数2.5圈/发蓝	Clutch Spring	PCS	1
三、保险杠部份/Bumper					

					
1	H170F-23-AG-236-4-10 237-4-10	民用H170F汽油机动力/本田款外观/符合欧五/带机油传感器及单向导通器/12花键轴（25×36mm）/17#油门组合、R款蓝白锌缸头盖/防水拉盘/带吊线卡1件/塑料螺纹式油箱盖/导风罩及油箱颜色PT1655C橙色亮光喷塑	H170F Gasoline Engine	台	1
2	25200-T07936-B01	新100/日字型/φ22×2/可挂刀/长270/H170F汽油机/日字型/4.0-8轮胎/横杆长380mm/可配前挡泥板/PTBlack C黑色亮光喷塑	Bumper	PCS	1
3	90605-0600-M9	GB/T6182-2000 2型非金属嵌件六角锁紧螺母/M6*1/9级/蓝白锌	Nut M6	PCS	3
4	25205-T03302-R51	HSD1G-105G/保险杠装饰罩材质ABS塑料/日字型装饰罩（用螺钉固定）PMS159C橙黄亮光喷塑	Plastic cover for bumper	PCS	1
5	90319-0635-09	GB/T 70.2—2000内六角平圆头螺钉/M6*1*35/8.8级/蓝白锌	Nut M6*1*35	PCS	1
6	90319-0640-09	GB/T 70.2—2000内六角平圆头螺钉/M6*1*40/8.8级/蓝白锌	Nut M6*1*40	PCS	2
7	90103-0840-09	GB/T16674.1/全螺纹/M8*1.25*40/8.8级/蓝白锌	Bolt M8*1.25*40	PCS	4
8	90702-0002-Z9	GB/T96.2-2002大垫圈-C级/φ8*φ24*2/蓝白锌	Flat washer φ8*φ24*2	PCS	4
9	90602-0800-39	GB/T6177.1-2000六角法兰面螺母/M8*1.25/8级/蓝白锌	Nut M8	PCS	4
四、扶手架/Handle Assy.					

1	90302-0640-59	GB/T947开槽球面大圆柱头螺钉/M6*40/4.8级/蓝白锌 (非标)	Screw M6*40	PCS	4.0000
2	10103-T02401-R06	HSD1G-100B/扶手架装饰罩材质ABS塑料/配C款60/60A/75/80/90/90B/100/100A/100B/105G机型/PT1655C橙色亮光	Plastic cover(banana type)	PCS	1.0000
3	90605-0600-M9	GB/T6182 2型非金属嵌件六角锁紧螺母/M6*1/9级/蓝白锌	Nut M6*1	PCS	2.0000
4	10600-T07902-R01	HSD1G-100B/100C/新100/配D款扶手架/塑料红色油门开关/开关把手红色/带防烫管/管长1300、露长110	Throttle valve switch with cable	PCS	1.0000
5	10109-T01502	HSD1G-80B/扶手胶套材质顺丁橡胶/玉米齿片款/孔φ25mm/长118.5mm	Gum cover for handle	PCS	2.0000
6	30505-T07901	HSD1G-100型/熄火开关/φ25mm抱箍/配D款扶手架/端子 (DJ211-4A/DJ431-6A-D)总长1200mm (管长1080)	Engine on-off switch with cable	PCS	1.0000
7	10108-T02402	HSD1G-100B/线卡/配25mm管径/更改后/趾型线卡	Cable nail	PCS	2.0000
8	10400-T07902-R01	新100/离合把手组件/Q235/常开/双抱箍式/C款扶手架/管长980/露长140/把手部分为RAL3020	Clutch lever	PCS	1.0000


9	10101-T02401-B01	HSD1G-100B/扶手架材质Q235/管径φ25mm/C款配75/80/90/90B/100/100B/105G机型不带把手座，不带急停安装孔，齿盘处带孔/PTBlack C 黑色亮光喷塑	Handle	PCS	1.0000
10	10204-T02401-B01	HSD1G-100B/齿盘板材质ZG35/C款/配60/60A/75/80/100/90B/100B/105G机型/PTBlack C 黑色亮光喷塑	Teeth plate	PCS	1.0000
11	10202-T07910-B01	HSD1G-100型/扶手座材质Q235/配C款扶手架/改变安方式/PTBlack C 黑色亮光喷塑	Handle support arm	PCS	1.0000
12	10205-T02401-9	HSD1G-100B/限位块材质ZG35/配75、80、100型C款/加宽型/蓝白锌	Stop block	PCS	1.0000
13	90101-1040-09	GB/T5783/M10*1.5*40/8.8级/蓝白锌	Bolt M10*1.5*40	PCS	4.0000
14	90701-0001-Z9	GB/T97.1平垫圈-A级/10*2/蓝白锌	Flat washer 10	PCS	8.0000
15	90801-0001-Z9	GB/T93标准型弹簧垫圈/10*2.6/蓝白锌	Spring Washer 10	PCS	4
16	90601-1000-39	GB/T6170I型六角螺母/M10*1.5/8级/蓝白锌	Nut M10	PCS	4.0000
17	10802-T07001	100G-1/操纵胶套材质酚醛树脂/内螺纹M10/100G-1/3TGQ-5/10/黑色+159C橙色	Gum cover for shifting lever	PCS	1.0000
18	11107-T02501	HSD1G-105/锁紧夹材质碳素钢丝/R销	Locking R pin	PCS	1.0000
19	11106-T02501	HSD1G-105/换挡杆固定套材质尼龙6（含水3.5%）黑色	Fixing sleeve for shifting lever	PCS	1.0000
20	11101-T07002-5	100G-1/换挡杆材质Q235/外径φ10mm/配D款上下调节扶手座/不含胶套/镀铬	Shifting lever	PCS	1.0000
21	11105-T07903-9	HSD1G-100型/换挡外罩材质Q235/平面/蓝白锌(箱体减重后状态)	Shifting indicator cover	PCS	1.0000
22	10201-T02401-R06	HSD1G-100B/扶手座装饰罩材质ABS塑料/配改型C款100/105G机型/铭牌孔距34*64 /PT1655C橙色亮光喷塑	Plastic cover for handle support arm	PCS	1.0000
23	11119-T02401	HSD1G-100B/橡胶垫圈/用于换挡处/配全转向扶手架/黑色	Rubber washer	PCS	1.0000
24	90701-0011-Z9	GB/T97.1平垫圈-A型/14*2.5/蓝白锌	Flat washer 14	PCS	1.0000
25	90801-0011-Z9	GB/T93标准型弹簧垫圈/14*3.6/蓝白锌	Spring Washer 14	PCS	1.0000
26	10901-T02402-5	HSD1G-100B/整体式锁紧把手材质45#钢/C款,用于75、80、100型/镀铬不含胶套/φ12/镀铬	Locking handle	PCS	1.0000
27	10802-T01002	HSD1G-75/操纵胶套材质PVC+10%丁晴橡胶/齿片款，橡胶件/内孔φ12/黑色	Gum cover for locking handle	PCS	1.0000

五、拖挂体部份/Trailer Body						
						
1	91401-0001-Z9	DIN11024/Φ2*9*38/蓝白锌	R Pin Φ2*9*38	PCS	1	
2	25306-T02501-B01	HSD1G-105/阻力耕刀材质65Mn/L型/厚13mm/PTBlack C 黑色亮光喷塑	Resistance blade	PCS	1	
3	90901-1040-Z9	GB/T882-1986销轴B型/10*40/蓝白锌	Pin roll10*40	PCS	1	
4	25303-T01001-B01	HSD1G-75/连接架材质Q235(与拖挂体连接尺寸72mm)PTBlack C 黑色亮光喷塑	Connecting frame	PCS	1	
5	25302-T01008-9	HSD1G-75A,80D款/拖挂体插销材质45#钢/无缺口/蓝白锌/直径16、长120		Safety Pin 16*120	PCS	1
6	90601-1200-39	GB/T6170I型六角螺母/M12*1.75/8级/蓝白锌		Nut M12	PCS	2
7	90101-1250-09	GB/T5783/M12*1.75*50/8.8级/蓝白锌		Bolt M12*1.75*50	PCS	2
8	25301-T11202-B01	H950/拖挂体材质Q235/无连接板/经济款/不带柱子/连接架开档75mm/插销孔Φ16.5/PTBlack C 黑色亮光喷塑	Trailer Body	PCS	1	
9	90801-0001-Z9	GB/T93-1987标准型弹簧垫圈/10*2.6/蓝白锌	Spring Washer 10*2.6	PCS	3	
10	90701-0001-Z9	GB/T97.1-2002平垫圈-A级/10*2/蓝白锌	Flat washer 10*2	PCS	3	
11	90601-1000-39	GB/T6170-2000I型六角螺母/M10*1.5/8级/蓝白锌	Nut M10	PCS	5	
12	90101-1045-09	GB/T5783/M10*1.5*45/8.8级/蓝白锌	Bolt M10*1.5*45	PCS	3	
13	91401-0002-Z9	DIN11024/Φ3*20*60/蓝白锌	R pin Φ3*20*60	PCS	1	
六、挡泥板部分/Fender						

						
1	25401-T02201-B01	A1-603/左挡泥板(副) 材质Q235/配5.0-12轮胎/在135机型A款左副挡泥板上符合CE认证要求/PTBlack C 黑色亮光喷塑	Left Side Fender	PCS	1	
2	90602-0600-39	GB/T6177.1六角法兰面螺母/M6*1/8级/蓝白锌	Nut M6	PCS	6	
3	90107-0612-09	GB/T5789/M6*1*12/8.8级/蓝白锌	Bolt M6*1*12	PCS	6	
4	25401-T11201	H950/左挡泥板(主) 材质Q235/A款挡泥板/变速箱带安装孔(厚1.2mm)带副挡泥板安装孔/PMS159C橙黄亮光喷塑	Left Main Fender	PCS	1	
5	90103-0816-09	GB/T16674.1/M8*1.25*16/8.8级/蓝白锌	Bolt M8*1.25*16	PCS	10	
6	25402-T02205-B01	A1-603/右挡泥板(副) 材质Q235/配5.0-12轮胎符合CE认证要求/在135机型A款右副挡泥板上符合CE/PTBlack C 黑色亮光喷塑	Right Main Fender	PCS	1	
7	25402-T11201	H950/右挡泥板(主) 材质Q235/A款挡泥板/变速箱带安装孔(厚1.2mm)带副挡泥板安装孔/PMS159C橙黄亮光喷塑	Right Side Fender	PCS	1	
8	90602-0800-39	GB/T6177.1六角法兰面螺母/M8*1.25/8级/蓝白锌	Nut M8	PCS	4	
9	25411-T11201-B01	H950/Q235/厚2.5/4.0-8轮胎/A款/PTBlack C 黑色亮光喷塑	Rear support frame for fender	PCS	1	

七、刀具部份/Blades

1	50106-T07001-R06	HW5/修边轮材质Q235(厚2mm)23方/刀筒端面到销轴安装孔距为40mm六方管为80mm/直径为240mm/加强型/PT1655C橙色亮光喷塑	Side Disc	PCS	2
2	90601-1000-39		Hexagon Nut M8*1.5	PCS	24
3	90801-0001-Z9		Spring Washer 8*2.6	PCS	24
4	90701-0001-Z9		Flat Washer 8*2	PCS	24
5	90101-1025-09		Bolt M8*1.25*25	PCS	24
6	90901-0840-Z9	GB/T882销轴B型/8*40/蓝白锌	Pin Roll 8*40	PCS	4
7	91401-0001-Z9	DIN11024/Φ2*9*38/蓝白锌	R PIN 2*9*38	PCS	4
8	50104-T01032Z-R06	HSD1G-75/副刀筒(旱地刀)(整刀) 中号刀片HW007/材质Q235/4-3/23方/不分左右/带销轴及R销/修边轮安装距40/PT1655C橙色亮光喷塑	Side Blade axle	PCS	2
9	50102-HW7011Z-R06	HSD1G-75/主刀筒(整刀) 中号刀片旱地刀/材质Q235/4组4片/23方/不分左右/PT1655C橙色亮光喷塑	Main Blade axle	PCS	2
10	50101-T01032-B01	HSD1G-75/左刀片(旱地刀) 材质65Mn/中号刀片HW007/PTBlack C 黑色亮光喷塑	left blade	PCS	12
11	50201-T01032-B01	HSD1G-75/右刀片(旱地刀) 材质65Mn/中号刀片HW007/PTBlack C 黑色亮光喷塑	right blade	PCS	12
八、轮胎部分/Rubber wheels					



1	90101-1025-09	GB/T5783/M10*1.5*25/8.8级/蓝白锌	Bolt M10*1.25*25	PCS	8
2	90701-0001-Z9	GB/T97.1-2002平垫圈-A级/10*2/蓝白锌	Flat washer 10*2	PCS	8
3	90801-0001-Z9	GB/T93-1987标准型弹簧垫圈/10*2.6/蓝白锌	Spring Washer 10*2.6	PCS	8
4	90601-1000-39	GB/T6170-2000I型六角螺母/M10*1.5/8级/蓝白锌	Nut M10	PCS	8
5	40100-T02504-W01	HSD1G-105/含内、外轮毂，人字型外胎+A项内胎及标件/4.0-8/轮毂RAL9003白色亮光喷塑/质保期24个月、低速胎、最高行驶速度：40Km/h,载重量：100Kg/个（AA级）	Left rubber wheel assy.	PCS	1
6	40301-T01306-B01	HSD1G-80/车轮轴材质Q235/配4.0-8轮胎，23方，长120mm/PTBlack C 黑色亮光喷塑	Wheel tube	PCS	2
7	91401-0001-Z9	DIN11024/Φ2*9*38/蓝白锌	R PIN 2*9*38	PCS	2
8	90901-0850-Z9	GB/T882-1986销轴B型/8*50/蓝白锌	Pin roll 8*50	PCS	2
9	40200-T02504-W01	HSD1G-105/含内、外轮毂，人字型外胎+A项内胎及标件/4.0-8/轮毂RAL9003白色亮光喷塑/质保期24个月、低速胎、最高行驶速度：40Km/h,载重量：100Kg/个（AA级）	Right rubber wheel assy.	PCS	1